

QUOTATION

Hackney Emergency Vehicle

Quote For:

Grand Island Fire Company
2275 Baseline Road
Grand Island, NY 14072-1711

Ship To:

Exp. Date: 11/24/2002
Quote No: E1171-0006

CHASSIS: VA-40-BE BIG EASY
BODY: DFC1173 11-COMP'T RESCUE - CUSTOM CAB

07/10/2003

Page 1

PART NO	S	DESCRIPTION	QTY	ID
		== BIG EASY - 911.020 09/11/02 ==	1	SP
00-VA-10		ADVANTAGE MFD 10" Raised Roof-Flat Floor	1	SP
00-XX-10		Chassis Warranty, One (1) Year	1	SP
00-XX-20		Cab Perforation Warranty, Ten (10) Years	1	SP
01-10-10		Single Rail High Strength Frame	1	SP
01-10-40		Frame Paint, Standard Black	1	SP
02-10-05	>	Fuel tank, 50 Gallon	1	SP
03-10-24	>	Front Bumper with 24" extension	1	SP
03-25-20		Tow Hooks, Painted	1	SP
03-30-BE	>	(2) Air horns, Grover, CENTER BEHIND BUMPER	1	SP
03-35-05		Air horn actuation,Steer wheel & RH foot swtc	1	SP
05-18-BE		18,000 lb ArvinMeritor front axle	1	SP
06-12-BE		Michelin XZE 12R 22.5 16 PR "H" 9.00 F 15,800 lbs	1	SP
06-50-10		Front Wheels, Polished aluminum, 9.00"	1	SP
06-50-30		Front wheel bearings, Oil lubricated	1	SP
06-50-35		Front shock absorbers Bilstein	1	SP
06-50-45		Steering column & wheel, Tilt telescopic type	1	SP
06-60-10		Front brakes 16.5" x 6" S-Cam w/auto slacks	1	SP
07-24-BE		24,000 lb. Meritor RS-24-160	1	SP
07-32-02		Top speed: 65 MPH, Single rear axle	1	SP
07-35-10		Rear brakes 16.5 X 7" S cam single axle	1	SP
07-36-10		WABCO ABS Brakes, Front & single rear	1	SP
08-11-36	< >	Michelin XDN 11R 22.5 "H" 16PR 8.25 R 24,000 lbs	1	SP
08-50-10		Polished aluminum rear wheels, 8.25" (4)	1	SP
08-50-30		Rear wheel bearings, Oil lubricated	1	SP
09-10-05		Rear suspension 57.5" x 3" vari-rate springs	1	SP
11-10-05		Air brake system single axle / 4,136 total	1	SP
11-20-10		Air Dryer, WABCO System Saver 1200	1	SP
11-30-05		Manual drains - air brake system	1	SP
11-40-05		Nylon air line tubing	1	SP
11-40-21		Additional air reservoir air horns 1200 cu in	1	SP
11-50-10		Engine Air compressor, 18.7 CFM, CUMMINS	1	SP
12-10-BE	>	Cummins ISC 330 hp electronic engine	1	SP
12-22-10		Engine Warranty, Cummins 5 yr/100,000 miles	1	SP
12-25-10		Fuel Filter - Cummins engine	1	SP
12-30-10	>	Jacobs Extarder, engine exhaust brake	1	SP
12-50-18		Exhaust system	1	SP
12-50-30		Air cleaner & air restriction indicator	1	SP
13-10-05		Cooling system w/silicone radiator hoses	1	SP
13-10-10		Engine fan, standard	1	SP
13-20-05		Silicone Heater Hose	1	SP
13-20-11		Coolant filter w/shut-off valve	1	SP
14-10-02		Allison 3000 EVS 5-speed transmission	1	SP

PART NO	S	DESCRIPTION	QTY	ID
14-25-03		Transmission range selector, Push pad, Std	1	SP
14-25-15		Mode button deprogramed, 5th gear start-up	1	SP
14-30-05		Drivelines, #1710 Heavy duty series	1	SP
14-50-11	>	Transmission Warranty, 3000 EVS (5) years	1	SP
15-05-BE		Electrical system, 3 batteries ADV	1	SP
15-10-05		Instrumentation, Standard	1	SP
15-20-08		270 amp Leece Neville Alternator	1	SP
16-05-08		Quad Headlights w/2 warning, 2 outer turns	1	SP
16-05-20		Cab marker lamps-LED-cab face abv windshield	1	SP
17-MF-04		Flat Floor MFD 10" raised roof cab	1	SP
18-05-13		Full length cab doors, FLAT FLOOR, 10" RAISED ROOF	1	SP
19-10-03		Engine tunnel, flat floor	1	SP
19-40-15		Engine tunnel work light, one (1)	1	SP
20-10-02		Driver -Seats Inc. 911 Univ REG.BACK N/SUSP	1	SP
20-50-30		SCBA officer seat-Seats Inc. 911 Universal AD	1	SP
21-30-06		SCBA Center forward face - 911 FLIP-UP (2)	1	SP
21-50-15		SCBA Outboard rear face-911 Universal (2) ADV	1	SP
22-05-07		Interior paint gray Zolotane texture finish	1	SP
22-07-09	>	Imperial 1200 covered seats	1	SP
22-10-05		Gray interior trim with gray floor mat	1	SP
22-15-00		Front overhead heater	1	SP
22-20-06	>	Air conditioning, engine tunnel mount evaporator	1	SP
23-05-25		Cab tilt actuation	1	SP
23-20-10		Full wheel well liners	1	SP
23-30-35		Cab side windows, FIXED (std)	1	SP
24-10-05		Assist handles 18" stainless steel (4)	1	SP
25-20-20		Exterior Mirrors, Remote,heated west coast	1	SP
28-10-05		Operators manual and parts list (1 set)	1	SP
28-10-18		One (1) engine & transmission operation manual	1	SP
28-20-05		Fire extinguisher	1	SP
		== 11-COMP'T RESCUE - CUSTOM CAB - ==	1	HS
10-00-00		***CHASSIS & CHASSIS OPTIONS***	1	HS
10-19-01	< >	FLUID LEVEL DATA - ELECTRONIC DISPLAY	1	HS
10-19-10	< >	"MUST BE SEATED AND BELTED" WARNING PLATE	1	HS
10-99-00		EXHAUST PIPE LOC.FRWRD OF LEFT WHEELS	1	HS
11-33-00	<	STEP LIGHTS, FRONT CAB DOORS (pr) - NFPA	1	HS
11-33-01	<	STEP LIGHTS, REAR CAB DOORS (pr) - NFPA	1	HS
11-41-30	<	LANYARD, CEILING MNTD	1	HS
11-42-10	< >	AIR HORN MOUNTING - IN FRONT BUMPER	1	HS
11-80-50	< >	AIR BRAKE PUMP - KUSSMAUL - TO SHOREPOWER	1	HS
14-05-50	<	SCBA BRACKETS IN CAB SEATS - ZICO	4	HS
15-31-00	< >	FILLER PANEL, DP FOR EXTENDED BUMPER - CUSTOM CABS	1	HS
16-10-00	>	TOW HOOKS, REAR (PR) UNDER REAR STEP BUMPER	1	HS
20-00-00		***BODY & FRAME***	1	HS
20-00-07	< >	DROP/PINCH FRAME MODIFICATION - CUSTOM CABS	1	HS
20-02-00	<	BODY CONSTRUCTION - HEAVY RESCUE	1	HS
20-11-47	S < >	BODY - DFC1164R 11-COMP'T W/RAISED ROOF	1	HS
20-21-20	<	FUEL FILLER W/HINGED ACCESS DOOR	1	HS
20-31-00	S <	OVERALL HEIGHT PLATE - NFPA	1	HS
20-72-30	<	DIESEL FUEL ONLY LABEL	1	HS
22-10-00		STONE GUARDS, FRT & REAR - D/P CORNERS (4)	1	HS
22-10-50		MUD FLAPS, REAR (PR) BLACK RUBBER	1	HS
22-25-20		BUMPER, REAR STEP BRIGHT TREAD PLATE	1	HS
22-25-90	<	SIGN - "DANGER - DO NOT RIDE ON REAR STEP"	1	HS
22-31-30	< >	STEP, RECESSED - EA CPI POLISHED ALUMINUM	4	HS
22-33-10		STEP, REAR WHEEL ALUMINUM STEP (PR)	1	HS
22-40-00	S	WHEEL CHOCKS - ZICO COLLAPSIBLE TYPE (EA)	2	HS
22-40-01	S <	HOLDER FOR WHEEL BLOCK - ZICO SQCH-44 (EA)	2	HS
22-50-30	S < >	LICENSE FRAME W/LIGHT-SURFACE MNT-CPI C30004	1	HS
22-80-00	<	RECEIVER - SIDE BODY MOUNTED FOR WINCH ASSY (PR)	1	HS
22-90-01	<	RING, RAPPELLING - REMOVABLE	1	HS
23-10-10	S <	UNISTRUT TRACK UP TO 82"H - (4)	8	HS

PART NO	S	DESCRIPTION	QTY	ID
23-11-20	S	< SHELF (EA) UP TO 52"W X 44"D	13	HS
23-21-10		< > TRAY, SLIDE-OUT 600# - 47W x 40D or less	1	HS
23-21-47		< > TRAY, SLIDE/TILT - 46W X 40D or less	3	HS
23-21-60	S	< > TRAY, TRANSVERSE LEFT & RIGHT SLIDE-OUT	1	HS
24-30-10		< PARTITION, VERTICAL HD 2" FRAMED PANEL TYPE	1	HS
25-40-10		< > STOKES/BACKBOARD TUNNEL- 1-STOKES; 2-BACKBOARD	1	HS
25-42-01	S	< > ROOF COMP'T, HINGED LID - Up to 16'L x 26W x 12H	2	HS
25-42-50	S	< RECESSED ROOF DIVIDER PARTITION	1	HS
25-45-00	S	< > TOOL BOARD-SLIDE-OUT - VERTICAL - PLYWOOD PANEL	2	HS
25-50-30	S	< > SCBA STORAGE TUBE - PVC W/RUBBER STOPS	24	HS
27-20-10		< > LADDER, ROOF ACCESS - OSHA TYPE	1	HS
40-00-00		***PAINT & GRAPHICS***	1	HS
40-00-01	S	PAINT BODY - PRIMARY COLOR	1	HS
40-00-20	S	< TWO-TONE BODY - DF & COMMAND MODELS	1	HS
41-00-15	S	< PAINT CAB - SPARTAN TWO-TONE	1	HS
42-12-00		< TOUCH-UP PAINT, ONE QUART	1	HS
42-90-05		< > COMPARTMENT COATING - ZOLATONE (per comp't)	11	HS
43-20-30	S	< STRIPE, REFLECTIVE 6" PRICE PER FOOT REQS DWG	62	HS
43-20-95		< STRIPE - REFLECTIVE - FRONT BUMPER	1	HS
49-00-00		UNDERCOATING CAB, FRAME & BODY	1	HS
50-00-00		***12VDC ELECTRICAL OPTIONS***	1	HS
50-00-04		> ELECTRICAL SYSTEM - V-MUX MULTIPLEX - COMMERCIAL	1	HS
50-05-00		< AMP DRAW REPORT - NFPA 1901, Section 9-15	1	HS
50-40-01		> CLEARANCE LIGHTS, LED & REFLECTORS	1	HS
50-50-00		< STOP/TAIL/BACKUP/TURN LIGHT ASSY - WHELEN	1	HS
50-50-40		< > STOP LIGHT, LED AUXILARY UPPER - 4" (PR)	1	HS
50-51-90		< AUXILIARY LED TURN SIGNALS - AMBER, CENTER BODY	1	HS
51-10-21		< SCENE LIGHT - SIDE - WHELEN 810 - (EA) - SURFACE MNT	4	HS
51-10-25		< SCENE LIGHT - REAR, WHELEN 810 - (EA) - SURFACE MNT	2	HS
51-15-10		> REVERSE ACTIVATED REAR SCENE LIGHT(S)	1	HS
51-50-10		< > COMPARTMENT LIGHTS (EA) - 7" HALOGEN	11	HS
51-51-50		< > COMP'T LIGHTS - ROOF	4	HS
51-51-60	S	< ROOF WORK ZONE LIGHTS - SIDE WALL MOUNTED	3	HS
51-55-10		< > COMP'T OPEN WARNING & AUTO ACTIVATION	1	HS
51-75-10		< GROUND LIGHTS (EA) UNDERBODY MOUNTED	5	HS
51-80-20		< SPOTLIGHT, HAND-HELD - NITEHAWK 100,000 CP	1	HS
52-50-00	S	< > STREAMLIGHT SL45102 HAND LIGHTS -12VDC CHARGER	4	HS
53-00-26		< > LOWER ZONE WARNING - WELDON LED	1	HS
53-01-60		< > UPPER ZONE WELDON - LED w/LED BAR	1	HS
53-50-00		< > HEADLIGHT WIG-WAG FLASHERS	1	HS
55-00-10		< > SIREN - MECHANICAL FEDERAL Q2B PEDESTAL MOUNT	1	HS
55-20-10		< SIREN - FEDERAL ELECTRONIC - PA300MSC	1	HS
55-30-10		HORN/SIREN SWITCH - ROCKER TYPE ON CONSOLE	1	HS
55-30-20	S	< SIREN FLOOR SWITCH (EA) HD CLAM-SHELL TYPE	1	HS
55-40-22	S	< > SPEAKER, SIREN - FEDERAL MS100 DYNAMAX	2	HS
59-00-10		> BACK-UP ALARM	1	HS
60-00-00		***240/120VAC ELECTRICAL OPTIONS***	1	HS
60-00-05		ELECTRICAL - 120/240V - STANDARDS REQUIREMENT	1	HS
61-01-11		< > GENERATOR - 25KW PTO - ELECTRONIC ENGINE APP	1	HS
61-60-20		< > BREAKER BOX, 24-PLACE 125 AMP, SINGLE PHASE	1	HS
62-20-10	S	< AUTO-EJECT SHOREPOWER - KUSSMAUL 20 AMP	1	HS
63-00-10	S	< > OUTLET 120V DUPLEX EXTERIOR WEATHERPROOF 20A	1	HS
63-00-20	S	< OUTLET, 120V SGL TWIST NEMA L5-20R (EA) W/GFI	4	HS
63-20-00	S	< > OUTLET 240V 20 AMP (EA) TWIST-LOK	1	HS
64-00-20		< > CORD REEL, ELECTRIC HANNAY ECR1624-17-18	2	HS
64-50-20		< > POWER DISTRIBUTION BOX - EXTENDA-LITE - 240VAC	2	HS
64-51-10		< DISTRIBUTION BOX WALL MOUNTING BRACKET	2	HS
65-21-10	S	< TRI-POD FLOOD-MAGNAFIRE - 650W/120V (EA)	2	HS
65-22-48		< FLOOD LIGHT - UPPER SIDE BODY - 900W MAGNAFIRE	4	HS
65-30-21		< > LIGHT TOWER - NIGHTSCAN W/(6) 1500W FOCUS	1	HS
67-00-20	S	< BATTERY CONDITIONER - VANNER 30-10	1	HS
70-00-00		***AIR SYSTEMS***	1	HS

